


EI30-10.5 1.2VA Encapsulated Transformer

FEATURES

- CQC file No.: CQC17001167224
- CE file No: BSTXD190311209301EC/BSTXD190311209301SC
- Vacuum Filling, Encapsulated Design Prevent dust and humidity
- High efficiency, Low Temperature Rise
- Dielectric Strength 4000VAC
- Class B (130° C) insulation material.
- Operating temperature from -40° C to 70° C
- Design according to EN61558-1, EN61000,GB19212-1, GB19212-7
- 100% Production Tested



OUTLINE DIMENSIONS



COMMON APPLICATIONS

- Medical equipment
- Industrial equipment
- Industrial control
- Test equipment
- Industrial computer
- Avionics and Telecommunications

SCHEMATIC DIAGRAM



ELECTRONIC SPECIFICATIONS:

PART NO	Primary [V]	Secondary [V]	Current [mA]	Ambient TEMP.(°C)	Weight (g)	Certificate			
						VDE	UL	CQC	CE
XP301-632	115V 50/60Hz	4.5V	266mA	T70 B	73		•		•
XP301-633	115V 50/60Hz	6V	200mA	T70 B	73		•		•
XP301-634	115V 50/60Hz	7.5V	160mA	T70 B	73		•		•
XP301-635	115V 50/60Hz	9V	133mA	T70 B	73		•		•
XP301-636	115V 50/60Hz	12V	100mA	T70 B	73		•		•
XP301-637	115V 50/60Hz	15V	80mA	T70 B	73		•		•
XP301-638	115V 50/60Hz	18V	66mA	T70 B	73		•		•
XP301-639	115V 50/60Hz	24V	50mA	T70 B	73		•		•
XP302-640	115V 50/60Hz	2x4.5V	2x133mA	T70 B	73		•		•
XP302-641	115V 50/60Hz	2x6V	2x100mA	T70 B	73		•		•
XP302-642	115V 50/60Hz	2x7.5V	2x80mA	T70 B	73		•		•
XP302-643	115V 50/60Hz	2x9V	2x66mA	T70 B	73		•		•
XP302-644	115V 50/60Hz	2x12V	2x50mA	T70 B	73		•		•
XP302-645	115V 50/60Hz	2x15V	2x40mA	T70 B	73		•		•
XP302-646	115V 50/60Hz	2x18V	2x33mA	T70 B	73		•		•
XP302-647	115V 50/60Hz	2x24V	2x25mA	T70 B	73		•		•
XP301-532	230V 50/60Hz	4.5V	266mA	T70 B	73		•	•	•
XP301-533	230V 50/60Hz	6V	200mA	T70 B	73		•	•	•
XP301-534	230V 50/60Hz	7.5V	160mA	T70 B	73		•	•	•
XP301-535	230V 50/60Hz	9V	133mA	T70 B	73		•	•	•
XP301-536	230V 50/60Hz	12V	100mA	T70 B	73		•	•	•
XP301-537	230V 50/60Hz	15V	80mA	T70 B	73		•	•	•
XP301-538	230V 50/60Hz	18V	66mA	T70 B	73		•	•	•
XP301-539	230V 50/60Hz	24V	50mA	T70 B	73		•	•	•
XP302-540	230V 50/60Hz	2x4.5V	2x133mA	T70 B	73		•	•	•
XP302-541	230V 50/60Hz	2x6V	2x100mA	T70 B	73		•	•	•
XP302-542	230V 50/60Hz	2x7.5V	2x80mA	T70 B	73		•	•	•
XP302-543	230V 50/60Hz	2x9V	2x66mA	T70 B	73		•	•	•
XP302-544	230V 50/60Hz	2x12V	2x50mA	T70 B	73		•	•	•
XP302-545	230V 50/60Hz	2x15V	2x40mA	T70 B	73		•	•	•
XP302-546	230V 50/60Hz	2x18V	2x33mA	T70 B	73		•	•	•
XP302-547	230V 50/60Hz	2x24V	2x25mA	T70 B	73		•	•	•