


EI30-18 2.3VA Encapsulated Transformer

FEATURES

- CQC file No.: CQC17001167224
- CE file No: BSTXD190311209301EC/BSTXD190311209301SC
- Vacuum Filling, Encapsulated Design Prevent dust and humidity
- High efficiency, Low Temperature Rise
- Dielectric Strength 4000VAC
- Class B (130° C) insulation material.
- Operating temperature from -40° C to 70° C
- Design according to EN61558-1, EN61000, GB19212-1, GB19212-7
- 100% Production Tested


OUTLINE DIMENSIONS



COMMON APPLICATIONS

- Medical equipment
- Industrial equipment
- Industrial control
- Test equipment
- Industrial computer
- Avionics and
Telecommunications

SCHEMATIC DIAGRAM



ELECTRONIC SPECIFICATIONS:

PART NO	Primary [V]	Secondary [V]	Current [mA]	Ambient TEMP.(°C)	Weight (g)	Certificate			
						VDE	UL	CQC	CE
XP301-844	115V 50/60Hz	4.5V	511mA	T70 B	112	•	•		•
XP301-845	115V 50/60Hz	6V	383mA	T70 B	112	•			•
XP301-846	115V 50/60Hz	7.5V	307mA	T70 B	112	•			•
XP301-847	115V 50/60Hz	9V	256mA	T70 B	112	•			•
XP301-848	115V 50/60Hz	12V	192mA	T70 B	112	•			•
XP301-849	115V 50/60Hz	15V	153mA	T70 B	112	•			•
XP301-850	115V 50/60Hz	18V	128mA	T70 B	112	•			•
XP301-851	115V 50/60Hz	24V	96mA	T70 B	112	•			•
XP302-852	115V 50/60Hz	2x4.5V	2x256mA	T70 B	112	•			•
XP302-853	115V 50/60Hz	2x6V	2x192mA	T70 B	112	•			•
XP302-854	115V 50/60Hz	2x7.5V	2x153mA	T70 B	112	•			•
XP302-855	115V 50/60Hz	2x9V	2x128mA	T70 B	112	•			•
XP302-856	115V 50/60Hz	2x12V	2x96mA	T70 B	112	•			•
XP302-857	115V 50/60Hz	2x15V	2x77mA	T70 B	112	•			•
XP302-858	115V 50/60Hz	2x18V	2x64mA	T70 B	112	•			•
XP302-859	115V 50/60Hz	2x24V	2x48mA	T70 B	112	•			•
XP301-744	230V 50/60Hz	4.5V	511mA	T70 B	112	•	•	•	•
XP301-745	230V 50/60Hz	6V	383mA	T70 B	112	•	•	•	•
XP301-746	230V 50/60Hz	7.5V	307mA	T70 B	112	•	•	•	•
XP301-747	230V 50/60Hz	9V	256mA	T70 B	112	•	•	•	•
XP301-748	230V 50/60Hz	12V	192mA	T70 B	112	•	•	•	•
XP301-749	230V 50/60Hz	15V	153mA	T70 B	112	•	•	•	•
XP301-750	230V 50/60Hz	18V	128mA	T70 B	112	•	•	•	•
XP301-751	230V 50/60Hz	24V	96mA	T70 B	112	•	•	•	•
XP302-752	230V 50/60Hz	2x4.5V	2x256mA	T70 B	112	•	•	•	•
XP302-753	230V 50/60Hz	2x6V	2x192mA	T70 B	112	•	•	•	•
XP302-754	230V 50/60Hz	2x7.5V	2x153mA	T70 B	112	•	•	•	•
XP302-755	230V 50/60Hz	2x9V	2x128mA	T70 B	112	•	•	•	•
XP302-756	230V 50/60Hz	2x12V	2x96mA	T70 B	112	•	•	•	•
XP302-757	230V 50/60Hz	2x15V	2x77mA	T70 B	112	•	•	•	•
XP302-758	230V 50/60Hz	2x18V	2x64mA	T70 B	112	•	•	•	•
XP302-759	230V 50/60Hz	2x24V	2x48mA	T70 B	112	•	•	•	•